**Supplemental Figure 1.** Standardized outpatient radiation oncology treatment checklist for patients infected with SARS-CoV-2.

Prior to Patient Arrival				
Initials	Task			
Ensure patient(s) scheduled for last treatment of the day				
	RTT or designee will coordinate visit:			
	<ul> <li>Contact patient or caregiver and complete SARS-CoV-2+ Patient Intake form</li> </ul>			
	<ul> <li>Notify department staff of SARS-CoV-2+ patient treatment</li> </ul>			
Communicate relevant patient information with security				
Coordinate with central transport				
Designate staff the following staff (limiting to as few staff as needed):				
	Setup RTT 1 (dirty):			
	Setup RTT 2 (dirty):			
	Observer (RN, MD, RTT):			
	PPE oversight/superuser & Checklist owner:			
	Driver RTT 1 (clean):			
	Driver RTT 2 (clean):			
	Planner's contact information:			
	Validate that staff is trained in donning and doffing PPE			
	Contact security to notify of patient arrival time and ensure parking space is available if parking.			
	Notify EVS of patient and request biohazard trash bin and notify of need for terminal			
	cleaning when finished.			
	Ensure that all materials and PPE is available and ready			
	<ul> <li>Gloves, gowns, surgical mask, face shield, 2 clean sheets, wheelchair, hair covers</li> </ul>			
	as needed, mask for patient if needed			
Patient Arrival- Transport & Setup				
Initials	Task			
	Setup RTT 1 and Setup RTT 2 don PPE following the contact & enhanced droplet			
	precautions checklist			
	*Observer must be present			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient  Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet  Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient  Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet  Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card			
Trootment:	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient  Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet  Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card • Setup RTT 2 scans patient barcode card			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card • Setup RTT 2 scans patient barcode card  Process (Only Setup RTTs enter treatment room)			
Treatment in Initials	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card • Setup RTT 2 scans patient barcode card  Process (Only Setup RTTs enter treatment room)  Task			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card • Setup RTT 2 scans patient barcode card  Process (Only Setup RTTs enter treatment room)  Task  Setup RTT 1 & 2 set up patient in treatment room and leave the room			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card • Setup RTT 2 scans patient barcode card  • Setup RTT 2 scans patient treatment room)  Task  Setup RTT 1 & 2 set up patient in treatment room and leave the room  Mask must remain on patient throughout treatment			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient  Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet  Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card  • Setup RTT 2 scans patient barcode card  Process (Only Setup RTTs enter treatment room)  Task  Setup RTT 1 & 2 set up patient in treatment room and leave the room  Mask must remain on patient throughout treatment  • If treating the head/face, mask must be placed over the immobilization device			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient  Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet  Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card  • Setup RTT 2 scans patient barcode card  Process (Only Setup RTTs enter treatment room)  Task  Setup RTT 1 & 2 set up patient in treatment room and leave the room  Mask must remain on patient throughout treatment  • If treating the head/face, mask must be placed over the immobilization device (surgical mask)			
	Setup RTT 1 brings wheelchair, sheet, and mask to ambulance bay to meet patient  Setup RTT 1 in PPE (surgical mask, face shield, gown and gloves) and security 1 (with surgical mask) await car outside hospital. Security shows patient where to park if patient is driving.  Setup RTT 1 confirms patient name  Setup RTT 1 hands patient mask through car window (if not already wearing one), has them sit in the wheelchair and places a sheet over them  Security 1 escorts RTT and patient to the service elevator, keeping a distance >6 feet  Security 2 (with surgical mask) will wait at department entrance to elevator to ensure it is ready for transport and is available to badge open the doors.  Setup RTT 1 wheels patient into treatment room to meet Setup RTT 2  • Setup RTT 2 confirms name and DOB with patient and patient barcode card  • Setup RTT 2 scans patient barcode card  Process (Only Setup RTTs enter treatment room)  Task  Setup RTT 1 & 2 set up patient in treatment room and leave the room  Mask must remain on patient throughout treatment  • If treating the head/face, mask must be placed over the immobilization device			

	<del>,</del>		
	Driver RTT 1 images the patient		
	Driver RTT 2 confirms the imaging		
	Driver RTT 1 delivers the treatment		
Treatment Completion- Patient transport			
Initials	Task		
	Driver RTT call security so that security is ready to escort patient and Setup RTT 1 to car		
	Setup RTT 1 escorts patient out of room in wheelchair to meet Setup RTT 2, who then		
	places new clean sheet over patient		
	Security 2 (with mask) ensures elevator is ready for transport (on L2)		
	Security 1 meets Setup RTT 1 and patient at Level 1 and escorts them to hospital exit.		
	Security 1 escorts RTT (with wheelchair) back to department elevators.		
Post-Treatment: Disinfection of room and equipment, doffing of PPE			
Initials	Task		
	Setup RTT 2 doff gloves, performs hand hygiene and dons a clean pair of gloves		
	*Observer must be present		
	Setup RTT 2 cleans room:		
	Wipes all surfaces and treatment bed with purple top wipes, allowing 2-minute dry		
	time		
	Setup RTT 1 doff gloves, performs hand hygiene and dons a clean pair of gloves		
	*Observer must be present		
	Setup RTT 1 cleans wheelchair in the treatment room:		
	Wipes all surfaces of the wheelchair with purple top wipes, allowing 2-minute dry		
	time		
	Setup RTT 1 & 2 doff PPE one at a time in designated dirty area following the doffing		
	checklist		
	*Observer must be present		
	Any additional staff that donned PPE and contact with patient or >6 feet distance from		
	patient or dirty RTT was not maintained will doff PPE in designated dirty area following the		
	doffing checklist *Observer must be present		
	Ensure PPE is disposed of in the red biohazard waste bag  Contact EVS and request a terminal clean and empty trash. Alert EVS room was occupied		
	by COVID+ patient. EVS must wear glove and gowns while cleaning the room.		
Checklist C			
Initials	Task		
mada	Confirm each task is completed with initials		
	Confirm signatures below		
	Upload to Aria		

Checklist Owner Signature:	_ Date/Time:
Observer Signature:	Date/Time: